

Following are our Cross Connection Cabinet For 10 Pair Disconnection Module-Copper Cable cross Connection.

Outside Plant Cabinet- Fiber Reinforced Polyester(FRP) Material

Material: Fiber Reinforced Polyester(FRP), IP65 Standard, OSP Cabinet Description:

Copper Connectivity OSP Cabinet, IP 65 Standard

Anti-Fire Class: FVO

Insurance Resistance: $2 \times 10^4 \text{ M}\Omega$ 500V(DC)


Temp: $-40^\circ\text{C} \sim +60^\circ\text{C}$


Tolerable Force: Surface $>980\text{N}$ Conne-Accessories $>200\text{N}$

: $<95\%$ ($+40^\circ\text{C}$)



1200/2400 Pair Cross Connection OSP Cabinet
(Max Capacity:2400 Pair Telephone Line)





Material: fibre-reinforced polycarbonate

IP 65 Standard

Installed With LSA-Plus Back Mount Frames

You could install 10 Pair disconnection module on it.

Provide IP65 Waterproof protection, protect your telephone Line





Single Door Open or Double Door Open.

You could also buy 10 pair disconnection module and 3 pole protection magazine from us.

Delivery Condition: FOB To Ningbo

Min Quantity: 5 Pcs For Each

All copy Rights By: www.chinacheerwe.com

Ningbo Cheerwe Telecom Co.,Ltd-Expert For Copper Connectivity and Fiber management

Contact: sales@chinacheerwe.com info@chinacheerwe.com

MSN Messenger: ebaby1016@hotmail.com chinapans@hotmail.com

Skype ID: ebaby1016

Tel:+86-574-27820267 Fax:+86-574-27820296

Address: 268th, Qiuga Industrial Park, Ningbo 315000, China

Copyrights: 2002-2009 All Rights Reserved